

Product Specifications

Spec Sheet

ABN 74 114 414 185 Area Safe Products Pty Ltd 3 Jamieson Place, Glendenning NSW 2761 PO Box 82, Plumpton NSW 2761

- P 1300 889 821
- F 1300 364 935
- E sales@areasafe.com.au

www.astrastreetfurniture.com.au

PEFC Certified Mixed Blonde Hardwood (QLD Blackbutt)







*The above photos show FSC Mixed Blonde Hardwood slats with 2 coats of Cutek CD-50

Slat Size: 40x20mm (x length)

Weight per length: 40x20 x1800mm = 1.02 kg



Product Specifications Spec Sheet

ABN 74 114 414 185 Area Safe Products Pty Ltd 3 Jamieson Place, Glendenning NSW 2761 PO Box 82, Plumpton NSW 2761

- P 1300 889 821
- F 1300 364 935
- E sales@areasafe.com.au

www.astrastreetfurniture.com.au

Characteristics:

Camana an Nasas a /as	Missad Dlanda (nuadansinanthy Ossas alama) Dlankhott de certiles
Common Name/s:	Mixed Blonde (predominantly Queensland Blackbutt depending
	on availability, sometimes blended with similar tones of Spotted
	Gum). Queensland Blackbutt is also known as Coastal Blackbutt
Species Type:	Hardwood
Origin:	Native to Southern Queensland & New South Wales
Sustainability:	Programme for the Endorsement of Forest Certification (PEFC) Certified Timber
Colour:	The heartwood ranges from golden yellow to pale brown,
	although occasionally a slight pinkish colour may be present.
	The sapwood, which is not always easy to distinguish, is paler in
	appearance. Natural colour variations and unique characteristics
	occur in timber which are not defects. It is what gives timber its
	character.
Grain/Texture:	Blackbutt has an even texture and generally straight grain
	making it appealing for interior use applications.
Pest Resistance:	Not susceptible to Lyctid Borer attack, resistant to termites and
	marine borer.
Density - Seasoned:	900kg/m3 @ 12 percent moisture content.
Strength Group -	High – SD2
Seasoned:	
Stress Grade –	F34; F27; F22; F17; F14
Seasoned:	
Durability:	Class 1 above-ground (life expectancy more than 40 years)
Fire Properties:	Mixed Blonde (Queensland Blackbutt) is defined by AS3959-
	2009 as one of seven species of bushfire-resisting timber
	(slightly combustible):
	Ignitability (0-20): 13
	Spread of Flame Index (0-10): 7
	Smoke Developed Index (0-10): 3
Leaching:	Being a natural timber, Mixed Blonde will leach natural tannins
	from the timber, especially when new. See more details about
	leaching on our document 'Furniture Care – Timber Leaching.'
	readining on our document raintaic care minder readining.



Product Specifications

Spec Sheet

ABN 74 114 414 185 Area Safe Products Pty Ltd 3 Jamieson Place, Glendenning NSW 2761 PO Box 82, Plumpton NSW 2761

- P 1300 889 821
- F 1300 364 935
- sales@areasafe.com.au

www.astrastreetfurniture.com.au

General Handling Instructions:

- When lifting furniture at any time, do not lift by the slats or they may pull off the frame. Hold the frame when lifting, not the slats.
- Inspect daily & clean all furniture surfaces regularly (at least weekly) using slightly soapy warm water and soft cleaning cloth.
- NOTE: Food scraps, soft drinks, juice spills etc, if left on surface can be harmful to surfaces of any kind.
- Clean it, keep it looking good!

Furniture Care

Refer to 'Astra Furniture Care' documents for detailed care & maintenance instructions. These can be found on www.astrastreetfurniture.com.au.

Warranty

Refer to 'Astra Street Furniture Warranty Policy' document for product warranty. This can be found on www.astrastreetfurniture.com.au.